

Tabela 2.2.4. (continuação)

Ano	VIII	IX	X	XI	$Q_{med}, m^3/s$	V, km^3
1944-45	142	120	235	283	392	12,360
1945-46	129	108	213	287	323	10,184
1946-47	251	190	235	247	641	20,210
1947-48	198	149	192	287	534	16,891
1948-49	242	218	115	288	580	18,276
1949-50	46	39	149	177	186	5,872
1950-51	263	210	273	436	702	22,152
1951-52	200	170	202	371	504	15,914
1952-53	237	180	159	239	574	18,094
1953-54	260	217	191	317	554	17,470
1954-55	188	158	162	349	405	12,768
1955-56	221	196	175	283	591	18,704
1956-57	206	186	200	299	551	17,384
1957-58	147	128	126	211	323	10,189
1958-59	213	188	170	237	571	18,003
1959-60	277	220	207	325	723	22,864
1960-61	392	319	344	602	1 003	31,620
1961-62	399	325	308	413	1 113	35,088
1962-63	358	286	273	459	853	26,911
1963-64	237	205	182	283	620	19,607
1964-65	232	199	254	250	592	18,672
1965-66	313	273	283	374	840	26,494
1966-67	296	250	256	571	617	19,461
1967-68	363	297	276	467	1 066	33,723
1968-69	367	285	354	537	1 019	32,143
1969-70	340	283	306	459	898	28,333
1970-71	287	258	205	255	582	18,358
1971-72	173	144	176	334	336	10,620
1972-73	226	187	174	299	614	19,381
1973-74	191	171	171	398	406	12,797
1977-78	178	165	191	430	357	11,259
1978-79	250	162	240	370	698	22,012
1979-80	240	200	175	250	640	20,173
1980-81	235	180	200	255	548	17,266
1981-82	260	206	220	348	680	21,465