

Norwegian University of Science and Technology
Faculty of Information Technology, Mathematics and
Electrical Engineering
Department of Computer and Information Science

Master Thesis

Linear programming on Cell/BE

by

Åsmund Eldhuset

Supervisor: Dr.Ing. Lasse Natvig
Co-supervisor: Dr. Anne C. Elster

Trondheim, June 1, 2009

Abstract

(TODO:)

Acknowledgements

(TODO:)

Contents

Contents	vii
List of Figures	ix
List of Tables	x
Listings	xi
List of Symbols and Abbreviations	xiii
1 Introduction	1
2 Background	3
2.1 Linear programming	3
2.1.1 Problem formulation. Standard and slack forms	3
2.1.2 The simplex method	6
2.1.3 Interior point algorithms	8
2.1.4 Use of LP to solve advanced flow problems	8
2.2 Cell Broadband Engine	8
2.2.1 Architecture	8
2.2.2 Programming methods	8
3 Design	9
4 Implementation and testing	11
4.1 Simplex algorithm	11
4.2 Test plan	11
4.2.1 Unit testing	11
4.2.2 Large data sets	11
5 Evaluation	13
5.1 Performance measurement	13
5.2 Results	13
5.3 Discussion	13

6 Conclusion	15
Bibliography	17
A Schedule	21

List of Figures

List of Tables

Listings

List of Symbols and Abbreviations

Abbreviation	Description	Definition
ILP	Integer linear programming	page 4
LP	Linear programming	page 3

Chapter **1**

Introduction

(TODO:)

Chapter 2

Background

(TODO: Chapter introduction)

2.1 Linear programming

(Natvig: Do we need section introductions too?)

This section is primarily based on [3](Natvig: Should this be a book in bibtex or something else (since I am using the electronic version?)) and [1].

2.1.1 Problem formulation. Standard and slack forms

The term *linear programming* (LP) refers to a type of optimisation problems in which one seeks to maximise or minimise the value of a linear function of a set of variables¹. The values of the variables are constrained by a set of linear equations and/or inequalities. Linear programming is a fairly general problem type, and many important problems can be cast as LP problems — for instance, shortest path problems and maximum flow problems (see [1]). However, the true virtue of linear programming stems from its ability to model a vast range of optimisation problems for which specialised algorithms do not exist, including many situations from economics and industry processes.

An example of a simple linear programming problem would be a factory that makes two kinds of products based on two different raw materials. (Natvig: This example just uses some random numbers; I will construct an example, probably using only integers, that can be solved neatly in a few iterations.) The profit the company makes per unit of product A is \$10.00, and the profit of product B is \$12.50. Producing one unit of A requires 2 units of raw material R and 3 units of raw material S; one unit of B requires 3 units of R and 1.5 units of S.

¹Hence, LP is not (as the name would seem to suggest) a programming technique. The name originated in the 1940s, when “program” referred to military supply plans and schedules (TODO: citation).

The company possesses 100 units of raw material R and 50 units of raw material S. We make the simplifying assumptions that all prices are constant and cannot be affected by the company, and that the company is capable of selling everything it produces. The company's goal is to maximise the profit, which can be described as $10.00x_1 + 12.50x_2$ where x_1 is the number of units of product A and x_2 is the number of units of product B. The following constraints are in effect:

- $2x_1 + 3x_2 \leq 100$ (the production of A and B cannot consume more units of raw material R than the company possesses)
- $3x_1 + 1.5x_2 \leq 50$ (same for raw material S)
- $x_1, x_2 \geq 0$ (the company cannot produce negative amounts of its products)

We will use this example throughout this section. (Natvig: This has not yet been done. I intend to interleave it with the presentation of the algorithm steps, unless you think it should be presented separately afterwards.)

Note that in regular LP problems, one cannot restrict the variables to be integers — in fact, adding this requirement produces a new kind of problem known as *integer linear programming* (ILP), which is NP-hard². It is also, in general, a requirement that all variables be nonnegative. This is often the case in real-world problems that deal with physical quantities, but problems involving variables that may be negative as well as positive can still be modeled by rewriting each original variable as a difference of two nonnegative variables.

The function to be optimised is called the *objective function*. In the real world situation that gives rise to an optimisation problem, the function may contain a constant term, but it can be removed since that will affect all possible solutions in the same way (Natvig: I don't like this formulation, but can't think of anything better. Do you have a better idea? (Are you at all allowed to directly suggest rephrasings?)). The objective function can then be written as $f = c_1x_1 + c_2x_2 + \dots + c_nx_n = \sum_{j=1}^n c_jx_j$, where the c_j are constants. Throughout this report, we will consistently use n to refer to the number of variables and m to refer to the number of equations and/or inequalities. The variables will typically be labelled x_1 through x_n .

Standard form The equations and inequalities that (together with the objective function) constitute an LP problem may be represented in different forms. We shall first consider the *standard form*, in which only less-than-or-equal-to inequalities with all variables on the left hand side are allowed. (TODO: Why are not less-than allowed?) A problem containing equalities of the form $a_1x_1 + \dots +$

²NP-hardness is a term from complexity theory, which deals with the relative difficulties of solving different kinds of problems. The only known algorithms for solving NP-hard problems require an amount of time that is exponential in the size of the problem, which renders those algorithms useless for many real life problem sizes.

$a_n x_n = b$ (Natvig: Should I label the coefficients a_{i1}, \dots, a_{in} instead to maintain consistency with the standard/slack forms?) may be rewritten by splitting each equality into two inequalities: $a_1 x_1 + \dots + a_n x_n \leq b$ and $-a_1 x_1 - \dots - a_n x_n \leq -b$. Also, the goal must be to maximise the objective function — if the original problem is to minimize f , we let our objective function be $-f$. A linear program in standard form can be expressed as follows: (TODO: How to indent “Maximise” and “with respect to”?)

Maximise

$$f = \sum_{j=1}^n c_j x_j$$

with respect to

$$\sum_{j=1}^n a_{ij} x_j \leq b_i, \text{ for } i = 1, \dots, m.$$

$$x_1, \dots, x_n \leq 0$$

Slack form The other common representation is *slack form*, which only allows a set of equations (and a nonnegativity constraint for each variable). An inequality of the form $a_1 x_1 + \dots + a_n x_n \leq b$ is converted to an equation by adding a *slack variable* w . Together with the condition that $w \geq 0$, the equation $a_1 x_1 + \dots + a_n x_n + w = b$ is equivalent to the original inequality (whose difference, or “slack”, between the left and right hand sides is represented by w). A linear program in slack form can be expressed as follows:

Maximise

$$f = \sum_{j=1}^n c_j x_j$$

with respect to

$$w_i = b_i - \sum_{j=1}^n a_{ij} x_j, \text{ for } i = 1, \dots, m.$$

$$x_1, \dots, x_n \leq 0$$

A proposed solution of a linear program (that is, a specification of a value for each variable) is called:

Feasible if it does not violate any of the constraints

Infeasible if it violates any constraint

Basic if it consists of setting all variables except the slack variables to zero

Optimal if it is feasible and no other feasible solutions yield a higher value for the objective function

(TODO: Move this paragraph to next section?) The *linear programming theorem* (TODO: Is it actually called this? Find something to cite) states that the optimal solution of a linear program, if it exists, occurs when at least m variables are set to zero. (TODO: Combinatorics. Mention cycling here?)

2.1.2 The simplex method

The *simplex method*³, developed by George Dantzig[2], was the first systematic approach for solving linear programs. (TODO: Decide on whether to call it “method” or “algorithm”, and resolve inconsistencies in the following text) It requires the program to be in slack form. The coefficients are written down in a *tableau* that changes as the method progresses. The nonnegativity constraints are not represented explicitly anywhere. Because the equations will undergo extensive rewriting, it will be convenient to not distinguish the slack variables from the other variables, so we will relabel w_i to x_{n+i-1} for $i = 1, \dots, m$.

(TODO: Show the example problem in slack form and in tableau form)

The variables are partitioned into two sets. The variables in the leftmost column (at the left side of the equations) are referred to as the *basic variables*, and the variables inside the tableau are called *nonbasic variables*. At any stage of the algorithm, the set of the indices of the basic variables is denoted \mathcal{B} , and the set of nonbasic indices is denoted \mathcal{N} . Initially, the set of basic variables is the set of the original slack variables. The sizes of the basic and nonbasic sets are constant, with $|\mathcal{B}| = m$ and $|\mathcal{N}| = n$.

For now, let us assume that the solution that is obtained by setting all nonbasic variables to zero is feasible (which is the case only if all of the b_i are nonnegative); we will remove this restriction later. This trivial solution will provide a lower bound for the value of the objective function (namely, the constant term). We will now select one nonbasic variable x_j and consider what happens if we increase its value (since all nonbasic variables are currently zero, we cannot decrease any of them). Since our goal is to maximise the objective function, we should select a variable whose coefficient c_j in the objective function is positive. If no such variables exist, we cannot increase the objective function value further, and the current solution (the one obtained by setting all nonbasic variables to zero, so that $f = c_0$) is optimal — we can be certain of this since linear functions do not have local maxima.

It seems reasonable to select the variable with the greatest coefficient, say, x_l . How far can we increase this variable? Recall that each line in the tableau

³The reason for not calling it “the simplex *algorithm*” is that there exist several versions of the method, and that the general method formulation is somewhat underspecified because it does not say how to choose the pivot elements.

expresses one basic variable as a function of all the nonbasic variables; hence we can increase x_l until one of the basic variables becomes zero. Let us look at row i . If a_{ij} is negative, the value of w_i will decrease as x_l increases, so the largest allowable increase is limited by the current value of w_i — which is b_i , since all nonbasic variables were set to zero. Thus, by setting $x_l = -\frac{b_i}{a_{ij}}$, w_i becomes zero. However, other equations may impose stricter conditions. By looking at all rows where a_{ij} is negative, we can determine $\min\left(-\frac{b_i}{a_{ij}}\right)$ and set x_j equal to it. If all a_{il} are nonnegative, we can increase x_l indefinitely without any w_i ever becoming negative, and in that case, we have determined the program to be *unbounded*; the algorithm should report this to the user and terminate.

The next step, called *pivoting*, is an operation that exchanges a nonbasic variable and a basic variable. The purpose of pivoting is to produce a new situation in which no b_i is negative, so that we can repeat the previous steps all over again. The nonbasic variable that was selected to be increased, x_j , is called the *entering variable*, since it is about to enter the collection of basic variables. The *leaving variable* to be removed from said collection. (TODO: how to find it?) We can eliminate the entering variable from (and introduce the leaving variable into) the set of *nonbasic* variables (the “main” part of the tableau) by rewriting the selected equation and adding appropriate multiples of it to each of the other equations: (TODO: Complete this)

Degeneracy (TODO: Briefly discuss degenerate pivots.)

Initialisation

The algorithm presented so far is capable of solving linear programs whose initial basic solution (the one obtained by setting all nonbasic variables to 0) is feasible. (TODO: Phase I and Phase II) This may not always be the case. We get around this by introducing an *auxiliary problem* which is based on the initial problem and is guaranteed to have a basic feasible solution, and whose solution will provide us with a starting point for solving the original problem. (TODO: Complete this)

Formal algorithm statement

(TODO: Use the algorithm package to give a compact description of the simplex algorithm)

Complexity and numerical instability

(TODO:)

(Natvig: Other stuff that should perhaps be added: geometric interpretation; duality)

2.1.3 Interior point algorithms

2.1.4 Use of LP to solve advanced flow problems

(TODO: Consult Miriam on this)

2.2 Cell Broadband Engine

2.2.1 Architecture

2.2.2 Programming methods

Chapter 3

Design

(TODO: Chapter introduction)

Chapter 4

Implementation and testing

(TODO: Chapter introduction)

4.1 Simplex algorithm

4.2 Test plan

4.2.1 Unit testing

(TODO:)

4.2.2 Large data sets

(TODO: Something on the `netlib` LP problem set)

Chapter 5

Evaluation

(TODO: Chapter introduction)

5.1 Performance measurement

(TODO: Describe system specifications and how timing was performed) (Natvig: Should this be here or under "Implementation and testing"?)

5.2 Results

5.3 Discussion

Chapter 6

Conclusion

(TODO:)

Future work

Bibliography

- [1] T. H. CORMEN, C. R. LEISERSON, R. L. RIVEST, AND C. STEIN, *Introduction to Algorithms*, McGraw-Hill Science/Engineering/Math, 2nd ed., 2003. [cited at p. 3]
- [2] G. DANTZIG, *Linear Programming and Extensions*, Princeton University Press, Princeton, NJ, 1963. [cited at p. 6]
- [3] R. J. VANDERBEI, *Linear Programming: Foundations and Extensions*, Springer, 2nd ed., 2001. [cited at p. 3]

Appendices

Appendix A

Schedule

This appendix will obviously be deleted before submission.

Week 8 Finished the implementation of a dense Simplex for a regular CPU and test with `netlib` datasets. Implement a vectorised (SIMD) dense Simplex on the PPE

Week 9 Struggle with numerical instability

Week 10 Implement a vectorised dense Simplex running in parallel on the SPEs

Week 11 Study interior point algorithms

Week 12 Implement a dense, non-parallelised interior point algorithm

Week 13 Decide on whether to pursue simplex or interior point. Making a test plan. Experiment with different approaches to sparse storage; look into numerical stability with single-precision values

Week 14 First draft of report

Week 15 Easter vacation

Week 16 Same as week 13

Week 17 Look into autotuning?

Week 18

Week 19

Week 20 Performance measurements and graphing

Week 21 Frenetic report writing

Week 22 — “ —

Week 23 Ordinary submission deadline. Will try to submit as close to this date as possible

Week 24

Week 25

Week 26

Week 27 Natvig goes on vacation

Week 28

Week 29 Final deadline: July 19